Holiday Inn Taunton M5, Jct.25





View the Access Guide

Deane Gate Avenue, Taunton, Somerset TA1 2UA 0871 942 9080

 $\underline{www.ihg.com/holidayinn/hotels/gb/en/taunton/tntss/hoteldetail (https://www.ihg.com/holidayinn/hotels/gb/en/taunton/tntss/hoteldetail)} \\$ Guide Last Updated: 18/01/2018

Something changed? (/contact/something_changed?destination=/access-guide/kew-green/holiday-inn-taunton-m5-jct25)



(https://maps.google.com/maps?ll=51.018359,-3.065612&z=14&t=m&hl=en-US&ql=US&mapclient=apiv3)

Map data ©2018 Google

Access Guide











Explain these icons (/our-icons)

Expand all Collapse all

Hotel Introduction

Related Access Guide(s)

Collapse -

Collapse -

- For the Holiday Inn Taunton, M5 Jct.25 Conference Facilities DisabledGo access guide please click here (new tab) (https://www.disabledgo.com/access-guide/holiday-inn/holiday-inn-taunton-m5-jct25---conference-facilities).
- For the Holiday Inn Taunton, M5 Jct.25 Leisure Facilities DisabledGo access guide please click here (new tab) (https://www.disabledgo.com/access-guide/holiday-inn/holiday-inn-taunton-m5-jct25---leisure-facilities).

Collapse -

- The hotel has its own parking facilities.
- This hotel has its own restaurant located on the ground floor.
- Conference/meeting facilities are available.
- The conference/meeting facilities are located on the ground and second floors.

Room Information

Hotel Information

- The hotel has 99 rooms in total.
- There is an/are accessible room(s) within the hotel.
- The accessible room(s) is/are located on the ground floor.
- The hotel has 2 accessible room(s) with accessible ensuite facilities.
- There is/are 2 accessible room(s) with a bath.
- There is an/are adjoining room(s) available for the accessible room(s).
- The accessible rooms are 32m 38m from the hotel entrance.
- There is a/are standard room(s) available on the ground floor.
- There is an/are adjoining room(s) available for the standard room(s).
- Rooms on other floors are accessed via stairs or lift.

Auxiliary Aids

Collapse -

- Vibrating pillows with flashing beacons are available on request.
- Bed raisers are not available on request.
- Bath mats are available on request.
- All televisions have subtitles available.

Getting Here

Collapse -

By Road Collapse -

- This hotel is located on the outskirts of Taunton, just off Junction 25 of the M5. The hotel is located off the A358.
- This hotel has a car park which is free for all users.

By Bus

Collapse -

- There is not a bus stop within 150 metres of the hotel.
- The nearest bus stop is located on Blackbrook Park Avenue, approximately 190 metres from the hotel.
- For more information on buses in the South West please click here (opens new tab) (https://www.stagecoachbus.com/about/south-west).

By Train

Collapse -

- The nearest Railway Station is Taunton.
- Taunton Station is situated in the centre of Taunton, located approximately 2.5 miles from the hotel. There are bus and taxi routes to the hotel from the station.
- For more information on National Rail please click here (opens new tab) (http://www.nationalrail.co.uk/stations/tau/details.html).

Getting Help and Assistance

- There is a member of staff available for help and assistance.
- Staff receive disability awareness/equality training.
- Staff do not receive deaf awareness training.
- There is not a member of staff trained in British Sign Language.
- British Sign Language interpreters cannot be provided on request.
- The alternative formats documents can be provided in include; large print on request.
- There is an assistance dog toilet or toileting area at the venue/near by.
- The assistance dog toilet or toileting area is located on the grass areas surrounding the hotel.
- Water bowls for assistance dogs are available.

• There are not mobility aids available.

Parking Collapse -

Parking Collapse -

- The hotel does have its own parking facilities.
- The car park is located in front and to the side of the hotel.
- The car park type is open air/surface.
- The car park does not have a height restriction barrier.
- The car park does not have a barrier control system.
- The car park surface is tarmac.
- There is a/are Blue Badge parking bay(s) available.
- The Blue Badge bay(s) is/are clearly marked and signposted.
- There is/are 5 designated Blue Badge parking bay(s) within the car park.
- The dimensions of the designated Blue Badge parking bay(s) surveyed are 320cm x 585cm (10ft 6in x 19ft 2in).
- There is a 120cm hatched zone around the Blue Badge parking bay(s).
- Parking spaces for Blue Badge holders do not need to be booked in advance.
- Clearly marked/signposted parent and child parking bays are not available.
- All parking spaces are provided on a first come first served basis.

Paying Collapse -

• There are not parking charges for the car park.

Access from the Car Park Collapse -

- The route from the car park to the entrance is accessible to a wheelchair user with assistance.
- Assistance may be required because there is/are slopes/ramps.
- The entrance is clearly visible from the car park.
- The surface on the approach to the entrance is tarmac and concrete tiles.
- There is not a road to cross between the car park and the entrance.
- The nearest designated Blue Badge parking bay is approximately 12m (13yd 4in) from the hotel entrance.

Drop-off Point(s)

• There is not a/are not clearly marked drop-off point(s).

Comments Collapse -

- The Blue Badge bays are located at the front of the hotel, close to hotel entrance.
- The standard parking bays are located to the left of the hotel.
- Hotel guests/visitors are required to enter their car registration details on the touchscreen at the reception desk to avoid a fine.
- The height of the touchscreens is 122cm.
- There is also a freestanding touchscreen to enter vehicle registration details at the hotel entrance and the standard car park/conference facilities entrance.
- The height to the top of this touchscreen is 143cm.











5





Outside Access (Hotel Entrance)

Entrance

Collapse -

Collapse -

- This information is for the entrance located at the front of the hotel.
- The entrance area/door is clearly signed.
- There is ramped/sloped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- The entrance door(s) does not/do not contrast visually with its immediate surroundings.
- The bell/buzzer is not in a suitable position to allow wheelchair users to gain access.
- The height of the bell/buzzer is 141cm (4ft 8in).
- The main door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 162cm.
- There is a second set of doors.
- The door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 122cm.
- There is a member of staff available for assistance at this entrance.

Ramp/Slope

Collapse -

- $\bullet \;\;$ The ramp/slope is located on the path leading to the entrance.
- The gradient of the ramp/slope is slight.











https://www.disabledgo.com/access-guide/kew-green/holiday-inn-taunton-m5-jct25

Outside Access (Standard Car Park/Conference Facilities Entrance)

Collapse -

Entrance

Collapse -

- This information is for the entrance located to the left side of the hotel, leading from the standard car park.
- The entrance area/door is not clearly signed.
- There is ramped/sloped access at this entrance.
- There is a canopy or recess which provides weather protection at this entrance.
- The entrance door(s) does not/do not contrast visually with its immediate surroundings.
- The main door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 153cm.
- There is a second set of doors.
- The door(s) open(s) automatically.
- The door(s) is/are double width.
- The width of the door opening is 152cm.
- There is a member of staff available for assistance at this entrance.

Ramp/Slope

Collapse -

- The ramp/slope is located on the path leading to the entrance.
- The gradient of the ramp/slope is slight.

Comments

Collapse -

- There is a double gate with a locked leaf leading from the car park, just in front of the entrance.
- The width of the open gate is 111cm.











Reception Collapse -

Reception

- The reception point is located to the right as you enter the hotel entrance.
- The reception point is approximately 3m (3yd 10in) from the hotel entrance.
- The reception area/desk is clearly visible from the entrance.

- There is step-free access to the reception point.
- There is a clear unobstructed route to the reception point.
- There are no windows, TVs, glazed screens or mirrors behind the reception point which could adversely affect the ability of someone to lip read.
- The reception counter is not placed in front of a background which is patterned.
- The lighting levels at the reception point are low.
- The height of the reception counter is medium height (77cm 109cm).
- There is sufficient space to write or sign documents on the counter.
- There is not a lowered section of the counter.
- The counter is staffed.
- Clipboards can be provided to anyone who is unable to use the desk.
- There is a hearing assistance system at the reception point.
- The type of system is a fixed loop.
- The hearing assistance system is signed.
- Staff are trained to use the system.
- Signs and universally accepted symbols or pictograms, indicating lifts, stairs, WCs, circulation routes and other parts of the building are not provided in the reception area.
- The type of flooring in the reception area is carpet.

Reception Waiting Area

Collapse -

• There is not a waiting area close to the reception point.

Comments

Collapse -

- Although there is not a waiting area for reception, there is seating in front of the lounge bar.
- There is seating with and without armrests in the lounge bar area.
- The nearest lounge/bar seating is 4m from reception.





Getting Around

Collapse -

Access

Collapse -

- There is step-free access throughout the majority of the building.
- There is a slight ramp, with handrails on both sides, for access to the ground floor accessible and standard rooms, standard male toilets and the lift.
- This ramp is located in the corridor to the right just past reception and is shown in photographs 1 and 2.

Circulation

- There are doors in corridors/walkways which have to be opened manually.
- The type of flooring in corridors/walkways is carpet.
- There is some flooring in corridors/walkways which includes patterns or colours which could be confusing or look like steps or holes to some people.
- There is good colour contrast between the walls and floor in the majority of corridors/walkways.

- The lighting levels are varied.
- Access to other floors/levels is via stairs and lift.

Signage Collapse -

- Wayfinding signage is provided.
- The colour, design and typeface of signs is consistent throughout the building.

Audio Collapse -

- This venue does play background music in public areas.
- Music is played in the reception and bar/restaurant areas.
- There is a hearing assistance system in the public areas of the building.
- The system is a fixed loop.
- $\bullet\,\,$ Hearing assistance systems are fitted at the main reception desk and at the bar.

Comments Collapse -

- Although the main conference facilities are located in the main meeting/conference centre area there are 2 meeting rooms in the corridor to the right of reception.
- There are also meeting rooms on the second floor, but these can only be accessed by stairs as the lift only travels from the ground floor to the first floor.













Eating and Drinking (The Junction Restaurant)

- The following information is for the restaurant.
- $\bullet\,\,$ The restaurant is located on the ground floor, ahead as you enter the hotel entrance.
- $\bullet \;\;$ There is step-free access to the restaurant.
- Full table service is available.
- There is not a hearing assistance system.
- There is step-free access within the restaurant.
- There is ample room for a wheelchair user to manoeuvre.
- This area does play background music.
- The type of flooring in this area is carpet.
- No tables are permanently fixed.
- No chairs are permanently fixed.
- Some chairs have armrests on both sides.
- The nearest table is approximately 1m from the entrance/opening.

- The standard height for tables is 70cm.
- Plastic/takeaway cups are available.
- Plastic/takeaway cutlery is not available.
- Drinking straws are available.
- There are hand held menus available.
- Menus are not available in Braille.
- Menus are not available in large print.
- Picture menus are not available.
- Menus are clearly written.
- Menus are presented in contrasting colours.
- The type of food served here is hot and cold meals and snacks.
- The lighting levels are good.









Eating and Drinking (Restaurant/Bar)

- The following information is for the restaurant/bar.
- The restaurant/bar is located on the ground floor, to the left as you enter the hotel entrance.
- There is step-free access to the restaurant/bar.
- Full table service is not available.
- Food and/or drinks are ordered from the service counter.
- Food and/or drinks can be brought to the table.
- The height of the service counter is medium height (77cm 109cm).
- There is not a lowered section of the counter.
- There is a hearing assistance system.
- The system is a fixed loop.
- The hearing assistance system is signed.
- Staff are trained to use the system.
- There is step-free access within the restaurant/bar.
- There is ample room for a wheelchair user to manoeuvre.
- This area does play background music.
- The type of flooring in this area is carpet.
- No tables are permanently fixed.
- No chairs are permanently fixed.
- Some chairs have armrests on both sides.
- The nearest table is approximately 3m from the entrance/opening.
- The nearest table is approximately 2m from the till/counter.
- The distance between the floor and the lowest table is 37cm.
- The distance between the floor and the highest table is 66cm.
- Plastic/takeaway cups are available.
- Plastic/takeaway cutlery is not available.
- Drinking straws are available.
- There are hand held menus and menu boards/signs available.
- Menus are not available in Braille.
- Menus are not available in large print.
- Picture menus are not available.
- Menus are clearly written.
- Menus are presented in contrasting colours.

- The type of food served here is hot and cold meals and snacks.
- The lighting levels are good.









Accessible Room(s) (Rooms 3 and 5)

Collapse -

Collapse -

Accessible Room Information

- The details in this section relates to the accessible room(s) with a lowered bath.
- This type of accessible room is located on the ground floor.
- There is step-free access to this type of accessible room.
- All accessible rooms of this type have similar specifications.
- The ensuite transfer space for the accessible rooms varies from left to right.
- Guests need to open a door between the entrance and the room(s).
- The narrowest width of the corridor leading to the room surveyed was 131cm.

Bedroom Features Collapse -

- The accessible room surveyed is located on the ground floor, in the corridor to the right as you enter the hotel entrance.
- The accessible room surveyed at the time of the visit was Room 3.
- There is ramped/sloped access to the accessible room surveyed.
- There is numbered signage on or near the accessible room door.
- The door is manual with a key card lock.
- The fob/card reader height is 105cm.
- The width of the door is 87cm (2ft 10in).
- There are lowered spy holes available.
- The bed type is double.
- The bed height is not adjustable.
- The height of the bed is 56cm (1ft 10in).
- The measurement between the bed base and floor is 14cm (6in).
- The bed is moveable.
- The room does have an unobstructed minimum turning space of 150cm x 150cm next to the bed.
- The height of the desk is 76cm.
- The desk is not height adjustable.
- The desk knee recess does not have the recommended dimensions of 70cm (height) x 50cm (depth).
- The height and depth of the knee recess is 56cm x 72cm.
- The room surveyed had a height adjustable chair with armrests and an armchair.
- Wardrobes have been adapted to allow use from a seated position.
- Light switches are between 75cm and 120cm (4ft) from floor level.
- Electric sockets are between 40cm and 100cm (4ft) from floor level.
- The window control type(s) for the room is a/are standard lever(s).
- There is an emergency alarm in the room.
- The emergency pull cord alarm is out of reach (higher than 10cm (4") from floor).
- The emergency alarm rings to reception.
- There is a flashing fire alarm beacon within the room.
- The type of flooring is carpet.

Ensuite Facilities Collapse -

- The ensuite door opens outwards.
- The door weight is light.
- The door is locked by a twist lock.
- The width of the door to the ensuite is 87cm (2ft 10in).
- The dimensions of the ensuite are 281cm x 248cm (9ft 3in x 8ft 2in).
- The ensuite does have an unobstructed minimum turning space of 150cm x 150cm in front of the toilet seat.
- The ensuite has not got a non-slip floor.
- There is an emergency alarm within the ensuite.
- The emergency pull cord alarm is out of reach (higher than 10cm (4") from floor).
- There is a flashing fire alarm beacon within the ensuite.
- Disposal facilities are available.
- There is a/are general domestic waste disposal units.
- There is a mirror.
- The mirror is not placed at a lower level or at an angle for ease of use.
- There is a shelf immediately next to or behind the toilet.
- The shelf is between 90cm and 100cm.
- There is a wash basin.
- The wash basin cannot be reached from seated on the toilet.
- The wash basin is not placed higher than 74cm (2ft 5in).
- The height of the wash basin is 70cm.
- There are vertical wall-mounted grab rails on both sides of the wash basin.
- The tap type is lever.
- · There is a mixer tap.
- There is not a soap dispenser.

Toilet Details Collapse -

- The height of the toilet seat above floor level is 53cm (1ft 9in).
- The toilet has a lid.
- There is a lateral transfer space.
- As you face the toilet pan the transfer space is on the right.
- The lateral transfer space is 168cm (5ft 6in).
- There is a flush, however it is not on the transfer side.
- There is not a spatula type lever flush.
- There is a dropdown rail on the transfer side.
- There is a/are wall-mounted grab rail(s) available.
- As you face the toilet, the wall mounted grab rails are on the left.
- There is not a vertical wall-mounted grab rail on the transfer side.
- There is a horizontal wall-mounted grab rail on the opposite side of the seat to the transfer space.
- There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).
- The height of the toilet roll holder is 54cm (1ft 9in).

Bath Details Collapse -

- The ensuite has a lowered bath.
- The height of the side of the bath from floor level is 49cm (1ft 7in).
- The tap type is lever.
- There is a mixer tap.
- There is a shower over the bath.
- The shower head is height adjustable.

- The shower control type is lever.
- There is a/are wall-mounted grab rail(s) available for the bath.

Colour Contrast and Lighting

Collapse -

- The colour contrast between the external hotel room door and wall is good.
- The colour contrast between the internal hotel room door and wall is good.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is poor.
- The colour contrast between the internal ensuite door and wall is poor.
- The colour contrast between the ensuite walls and floor is fair.
- The colour contrast between the drop down rail(s) and wall is good.
- The colour contrast between the wall-mounted grab rail(s) and wall is good.
- The toilet seat colour contrast is poor.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.

















Standard Room(s) (Room 27)

Collapse -

Collapse -

Bedroom Features

- The room surveyed is located on the ground floor, to the right as you enter the hotel entrance.
- The room surveyed at the time of the visit was Room 27.
- There is ramped/sloped access to the room surveyed.
- There is numbered signage on or near the room door.
- The width of the door is 75cm (2ft 6in).
- The bed type is double.
- The height of the bed is 58cm (1ft 11in).
- The measurement between the bed base and floor is 13cm (5in).
- Light switches are not within 120cm (3ft 11in) from floor level.
- There is not an emergency alarm in the room.
- There is not a flashing fire alarm beacon within the room.
- The type of facilities within the ensuite include; a toilet, a wash basin and a shower.
- The ensuite door opens inwards.
- The width of the door to the ensuite is 67cm (2ft 2in).
- $\bullet \;\;$ There is not an emergency alarm within the ensuite.
- There is not a flashing fire alarm beacon within the ensuite.
- The tap type is lever.

• There is a mixer tap.

Colour Contrast and Lighting

Collapse -

- The colour contrast between the external hotel room door and wall is good.
- The colour contrast between the internal hotel room door and wall is good.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is good.
- The colour contrast between the internal ensuite door and wall is good.
- The colour contrast between the walls and floor in the ensuite is good.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.

Comments Collapse -

• There is a deep step to access the shower.

















9

Stairs

Other Floors Collapse -

Stairs can be used to access other floors.

- The stairs are for public use.
- The stairs are located at the end of the corridor to the right of reception.
- $\bullet~$ The stairs are approximately 45m from the hotel entrance.
- Signs indicating the location of the stairs are not available from the entrance.
- There are manual, heavy, double doors to enter and exit the stairwell on all floors.
- The floors which are accessible by stairs are G, 1 and 2.
- There are 15+ steps between floors.
- The height of the step(s) is/are between the recommended 15cm and 18cm.
- The going of the step(s) is/are not between the recommended 30cm and 45cm.

- The steps are not clearly marked.
- There is a/are handrail(s) at the step(s).
- The steps have a handrail on both sides.
- Handrails are at the recommended height (90cm-100cm).
- Handrails do cover the flight of stairs throughout its length.
- Handrails are easy to grip.
- Handrails do not extend horizontally beyond the first and last steps.
- · There is a landing.
- Clear signs indicating the facilities on each floor are provided on landings.
- The lighting levels at the steps are good.

Other Information

Collapse -

• The service(s) on the floors which are not accessible is/are the meeting rooms on the second floor.













Lift Collapse -

- There is a lift for public use.
 - The lift is located at the end of the corridor to the right of reception.
 - Signs indicating the location of the lift are not available from the entrance.
 - The lift is approximately 30m (32yd 2ft) from the hotel entrance.
 - The lift is a standard lift.
 - A member of staff does not need to be notified for use of the lift.
 - The floors which are accessible by this lift are G and 1.
 - Clear signs indicating the facilities on each floor are provided on lift lobby landings.
 - There is a clear level manoeuvring space of 150cm × 150cm in front of the lift.
 - Lift doors do contrast visually with lift lobby walls.
 - The external controls for the lift are within 90cm 110cm from the floor.
 - The colour contrast between the external lift controls and the control plate is good.
 - $\bullet\,\,$ The colour contrast between the external lift control plate and the wall is good.
 - The clear door width is 80cm (2ft 7in).
 - The dimensions of the lift are 107cm x 104cm (3ft 6in x 3ft 5in).
 - There are no separate entry and exit doors in the lift.
 - There is a mirror to aid reversing out of the lift.
 - There is not a list of floor services available within the lift.
 - The lift does have a visual floor indicator.
 - The lift does have an audible announcer.
 - The controls for the lift are within 90cm 120cm from the floor.
 - There is not a hearing loop system.

- The lift does not have Braille markings.
- The lift does have tactile markings.
- The lighting levels in the lift are good.







Standard Room(s) (Executive Room 91)

Collapse -

Bedroom Features Collapse -

- The room surveyed is located on the first floor, to the front right of the hotel as you exit the lift.
- The room surveyed at the time of the visit was Room 91.
- There is step-free access to the room surveyed, via lift.
- There is numbered signage on or near the room door.
- The width of the door is 76cm (2ft 6in).
- The bed type is double.
- The height of the bed is 57cm (1ft 10in).
- The measurement between the bed base and floor is 13cm (5in).
- Light switches are not within 120cm (3ft 11in) from floor level.
- There is not an emergency alarm in the room.
- There is not a flashing fire alarm beacon within the room.
- The type of facilities within the ensuite include; a toilet, a wash basin and a shower.
- The ensuite door opens inwards.
- The width of the door to the ensuite is 69cm (2ft 3in).
- There is not an emergency alarm within the ensuite.
- There is not a flashing fire alarm beacon within the ensuite.
- The tap type is lever.
- There is a mixer tap.

Colour Contrast and Lighting

Collapse -

- The colour contrast between the external hotel room door and wall is good.
- The colour contrast between the internal hotel room door and wall is good.
- The colour contrast between the hotel room walls and floor is good.
- The colour contrast between the external ensuite door and wall is good.
- The colour contrast between the internal ensuite door and wall is good.
- The colour contrast between the walls and floor in the ensuite is good.
- The lighting levels in the room are low.
- The lighting levels in the ensuite are good.

Comments

Collapse -

• There is a deep step to access the shower.



















Accessible Toilet(s) (Conference/Meeting Facilities Lobby)

Collapse -

• There is an/are accessible toilet(s) for public use.

Location and Access

Collapse -

- The accessible toilet surveyed is not for the sole use of disabled people.
- This accessible toilet is located on the ground floor, in the conference/meeting room lobby at the rear of the restaurant/bar or immediately to the left if you enter via the conference facilities entrance.
- This accessible toilet is approximately 20m (21yd 2ft) from the hotel entrance.
- There is step-free access to the accessible toilet.

Features and Dimensions Collapse -

- This is a shared toilet.
- A key is not required for the accessible toilet.
- There is tactile and pictorial signage on or near the toilet door.
- The door opens inwards.
- The door is heavy.
- The door is locked by a twist lock.
- The width of the accessible toilet door is 85cm (2ft 9in).
- The dimensions of the accessible toilet are 154cm x 190cm (5ft 1in x 6ft 3in).
- The accessible toilet does not have an unobstructed minimum turning space of 150cm x 150cm.
- The toilet has not got a non-slip floor.
- The height of the light switch/pull cord is 88cm from floor level.
- There is a lateral transfer space.
- As you face the toilet pan the transfer space is on the right.
- The lateral transfer space is 70cm (2ft 4in).
- There is a flush, however it is not on the transfer side.
- There is not a spatula type lever flush.
- There is a dropdown rail on the transfer side.
- There is an emergency alarm.

- The emergency pull cord alarm is fully functional.
- There is not a flashing fire alarm beacon within the toilet.
- Disposal facilities are available in the toilet.
- There is a/are female sanitary, non-infectious waste and waste paper pedal bin disposal units.
- There is a/are coat hook(s).
- There are coat hooks in the toilet at 119cm and 177cm from the floor.

Position of Fixtures Collapse -

- There is not a/are not wall-mounted grab rail(s) available.
- · There is a mirror.
- The mirror is not placed at a lower level or at an angle for ease of use.
- There is a shelf next to the toilet.
- The shelf is not between 90cm and 100cm.
- The toilet has a lid.
- The height of the toilet seat above floor level is 52cm (1ft 8in).
- . There is a toilet roll holder.
- The toilet roll holder can be reached from seated on the toilet.
- The toilet roll holder is not placed higher than 100cm (3ft 3in).
- There is a wash basin.
- The wash basin cannot be reached from seated on the toilet.
- The wash basin is placed higher than 74cm (2ft 5in).
- The height of the wash basin is 76cm (2ft 6in).
- There are vertical wall-mounted grab rails on both sides of the wash basin.
- The wash basin tap type is lever.
- There is a mixer tap.
- There is a soap dispenser.
- The soap dispenser cannot be reached from seated on the toilet.
- The height of the soap dispenser is 80cm.
- There is a towel dispenser.
- The towel dispenser cannot be reached from seated on the toilet.
- The towel dispenser is placed higher than 100cm (3ft 3in).
- The height of the towel dispenser is 123cm (4ft).
- There is not a hand dryer.

Colour Contrast and Lighting

Collapse -

- The contrast between the external door and wall is good.
- The contrast between the internal door and wall is good.
- The contrast between the dropdown rail(s) and wall is good.
- The contrast between the wash basin wall-mounted grab rail(s) and wall is good.
- The toilet seat colour contrast is poor.
- The contrast between the walls and floor is good.
- The lighting levels are good.

Baby Changing Facilities

Collapse -

- Baby changing facilities are located within the accessible toilet.
- The baby change table is not set against the wall, permanently fixed at 75cm from the floor.
- The baby change table is not height adjustable.
- The height of the baby change table once extended is 86cm (2ft 10in).

Comments